L Number	Hits	Search Text	DB	Time stamp
1	2965	709/230,229.ccls.	USPAT;	2004/05/10 16:11
j '	_555		US-PGPUB;	
			EPO; JPO;	
[			IBM_TDB	
2	1610	709/238.ccls.	USPAT;	2004/05/10 16:19
-			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
3	12909	709/203,217,222,219,226,227,229,238.ccls.	USPAT;	2004/05/10 16:20
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	0004/05/40 40:00
4	4881	370/260,352,401.ccls.	USPAT;	2004/05/10 16:20
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB USPAT	2003/04/21 16:08
-	871	709/223.ccls.	USPAT	2003/04/21 10:06 2003/07/01 09:39
-	347	(DHCP (dynamic adj host adj configuration adj protocol))		2003/07/01 09:39
-	52	((DHCP (dynamic adj host adj configuration adj protocol))) and	USPAT	2002/00/03 08.33
	4.5	broadband  ((DUCD (dynamic adi best adi configuration adi protocol)))	USPAT	2002/08/05 09:43
] -	15	(((DHCP (dynamic adj host adj configuration adj protocol))) and broadband) and (ISP (internet adj service adj protocol))	JOI A1	2002/00/00 00.40
1	23	((DHCP (dynamic adj host adj configuration adj protocol))) and	USPAT	2002/08/05 09:59
-	23	(Select\$4 same (isp (internet adj service adj protocol)))	33.71	
]	23	(((DHCP (dynamic adj host adj configuration adj protocol)))	USPAT	2002/08/05 09:46
-	23	and (select\$4 same (isp (internet adj service adj protocol))))		
		and (DHCP (dynamic adj host adj configuration adj protocol))		
1_	27	((DHCP (dynamic adj host adj configuration adj protocol))) and	USPAT	2002/08/05 10:02
-	_ <i>_ ,</i>	(select\$4 same (isp (internet adj service adj provider)))		
_ i	27	(((DHCP (dynamic adj host adj configuration adj protocol)))	USPAT	2002/08/05 10:02
		and (select\$4 same (isp (internet adj service adj provider))))		
		and (DHCP (dynamic adj host adj configuration adj protocol))		
-	69	((DHCP (dynamic adj host adj configuration adj protocol))) and	USPAT	2002/08/05 10:02
		(select\$4 same (isp cable (internet adj service adj provider)))		
_	69	(((DHCP (dynamic adj host adj configuration adj protocol)))	USPAT	2002/08/05 10:35
		and (select\$4 same (isp cable (internet adj service adj		
		provider)))) and (DHCP (dynamic adj host adj configuration adj		
		protocol))	LIODAT	0000/00/05 40 00
-	35	((((DHCP (dynamic adj host adj configuration adj protocol)))	USPAT	2002/08/05 10:38
		and (select\$4 same (isp cable (internet adj service adj		
	i İ	provider)))) and (DHCP (dynamic adj host adj configuration adj		
		protocol))) and MAC	USPAT	2002/08/05 10:59
-	33	(((((DHCP (dynamic adj host adj configuration adj protocol)))	USFAI	2002100103 10.39
		and (select\$4 same (isp cable (internet adj service adj provider)))) and (DHCP (dynamic adj host adj configuration adj		
		protocol))) and (DHCP (dynamic adjinost adjicomiguration adji protocol))) and MAC) and (login password id)		
_	31	((((((DHCP (dynamic adj host adj configuration adj protocol)))	USPAT	2002/08/05 15:57
-	31	and (select\$4 same (isp cable (internet adj service adj		
		provider)))) and (DHCP (dynamic adj host adj configuration adj		
		protocol))) and MAC) and (login password id)) and message\$2		
_	3	(((((((DHCP (dynamic adj host adj configuration adj protocol)))	USPAT	2002/08/05 15:58
		and (select\$4 same (isp cable (internet adj service adj		
		provider)))) and (DHCP (dynamic adj host adj configuration adj		
		protocol))) and MAC) and (login password id)) and		
		message\$2) and (extended near5 (DHCP (Dynamic adj Host	1	
		adj configuration adj protocol)))		
-	3	((DHCP (dynamic adj host adj configuration adj protocol))) and	USPAT	2002/08/05 16:35
		(selected adj ISP)	LICEAT	0000/00/05 10 57
-	15	1 11	USPAT	2002/08/05 16:57
		(select\$4 near5 ISP)	LICEAT	2002/08/05 17:07
-	5	(((((((DHCP (dynamic adj host adj configuration adj protocol)))	USPAT	2002/08/05 17:07
		and (select\$4 same (isp cable (internet adj service adj		
		provider)))) and (DHCP (dynamic adj host adj configuration adj		
		protocol))) and MAC) and (login password id)) and message\$2) and (select\$4 near10 (ISP (service adj provider)		
				,
		provider))	L	1

-	5	(((((((DHCP (dynamic adj host adj configuration adj protocol)))	USPAT	2002/08/05 17:08
		and (select\$4 same (isp cable (internet adj service adj		
		provider)))) and (DHCP (dynamic adj host adj configuration adj protocol))) and MAC) and (login password id)) and		
E		message\$2) and ((select\$4 pick\$4 chose chosen choosing)		
		near10 (ISP (service adj provider) provider))		
_	25	((DHCP (dynamic adj host adj configuration adj protocol))) and	USPAT	2002/08/05 17:13
-		((select\$4 pick\$4 chose chosen choosing) near10 (ISP		
		(service adi provider) provider))		
-	60	(DHCP (dynamic adj host adj configuration adj protocol)) and	USPAT;	2002/08/05 17:23
		((select\$4 pick\$4 chose chosen choosing) near10 (ISP	US-PGPUB;	
		(service adj provider) provider))	EPO; JPO; DERWENT;	
			IBM TDB	
	35	((DHCP (dynamic adj host adj configuration adj protocol)) and	USPAT;	2002/08/06 09:18
_		((select\$4 pick\$4 chose chosen choosing) near10 (ISP	US-PGPUB;	
		(service adj provider) provider))) not (((DHCP (dynamic adj	EPO; JPO;	
		host adj configuration adj protocol))) and ((select\$4 pick\$4	DERWENT;	
		chose chosen choosing) near10 (ISP (service adj provider)	IBM_TDB	
		provider)))	LICDAT	2002/08/06 09:19
-	2	6212563.pn.	USPAT; US-PGPUB;	2002/00/00 05.15
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
	2	6212563.pn. and IP	USPAT;	2002/08/06 09:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBMTDB	
	0	6212563.pn. and IP and isp	USPAT;	2002/08/06 09:20
-		02 (2003.pm. and in and isp	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/00/00 44.00
-	1	6212563.pn. and IP and (service adj provider\$2)	USPAT;	2002/08/06 11:06
Ì			US-PGPUB; EPO; JPO;	
			DERWENT;	
ļ			IBM TDB	
_	1	5949779.pn. and IP and ((service adj provider\$2) isp)	USPAT;	2002/08/06 09:41
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		6101182.pn. and IP and ((service adj provider\$2) isp)	IBM_TDB   USPAT;	2002/08/06 09:41
-	1	0101102.pii. aliu ir aliu ((service auj provideryz) 13p)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
		*	IBM_TDB	2002/09/06 11:09
-	2	6212563.pn. and (address\$2 unique)	USPAT;	2002/08/06 11:08
	1		US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	4	("6212563" "6101182").pn. and (address\$2 unique MAC)	USPAT;	2002/08/06 11:09
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		("COADECO" "CADAAGO") pp. and addresses and unique®2 and	IBM_TDB USPAT;	2002/08/06 12:37
-	2	("6212563" "6101182") pn. and addresses and unique\$2 and MAC	US-PGPUB;	
		IVIAU .	EPO; JPO;	
			DERWENT;	÷
			IBM_TDB	

-	2	("6212563" "6101182").pn. and database\$2	USPAT;	2002/08/06 12:27
	Ì		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2002/09/06 12:27
-	1	("6212563" "6101182").pn. and map\$5	USPAT;	2002/08/06 12:27
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
		///C242562# #6404492#\ pp. and addresses and unique\$2 and	USPAT;	2002/08/06 12:49
-	2	1 ( 7 )	US-PGPUB;	2002/00/00 12.43
		MAC and DHCP	EPO; JPO;	
1			DERWENT;	
			IBM TDB	
	1	("6212563" "6101182").pn. and broadband	USPAT;	2002/08/06 12:49
-	'	( 02 12303 - 0 10 1 102 ).pm. and broadband	US-PGPUB;	2002/00/00 12/10
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1	("6212563" "6101182").pn. and broadband and (proxy server)	USPAT;	2002/08/06 13:15
-	'	( 62 12000 GTOTTOL ).pm. and produced and (provi)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
1_	1	("6212563" "6101182").pn. and register\$5	USPAT;	2002/08/06 13:39
		( 02 ) 2000	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	("6212563" "6101182").pn. and radius	USPAT;	2002/08/06 13:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3		USPAT;	2002/08/06 13:48
		same (ISP IP))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	2002/00/00 14:11
-	3		USPAT;	2002/08/06 14:11
ļ		same (ISP IP (service\$2 adj provider)))	US-PGPUB;	
		•	EPO; JPO;	
			DERWENT;	
		("6212562" "6101182"\ nn and ((auctomort? uport? align+t?)\	USPAT;	2002/08/06 14:12
-	3	("6212563" "6101182").pn. and ((customer\$2 user\$2 client\$2) same (ISP IP (service\$2 adj provider))) and ID	US-PGPUB;	2002/00/00 14.12
		Same (ISP IP (Service \$2 auj provider))) and 10	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	3	("6212563" "6101182").pn. and ((customer\$2 user\$2 client\$2)	USPAT;	2002/08/06 14:12
-		same (ISP IP (service\$2 adj provider))) and identif\$7	US-PGPUB;	2002/00/00 11:12
		same (for it (service#2 auj provider/// and identiti#/	EPO; JPO;	
			DERWENT:	
			IBM_TDB	
_		5565909.pn.	USPAT	2002/08/06 16:35
1_			USPAT	2002/08/06 16:35
1_		i	USPAT	2003/01/21 09:47
-	92		USPAT	2003/01/21 09:47
_	430		USPAT	2003/01/21 09:49
-	808		USPAT	2003/01/21 09:49
_	62		USPAT	2003/01/21 09:50
-	14	((proxy adj server) and DHCP) and ISP	USPAT	2003/01/21 09:52
-	2		USPAT	2003/01/21 09:59
		(multi adi service\$2))		
-	2		USPAT	2003/01/21 10:00
1		(multi-service\$2))		
1		(proxy adj server) and (broadband (multi-service\$2))	USPAT	2003/01/21 10:00

			HODAT	0000/04/00 00:44
-	48	(proxy adj server) and (broadband (multi-service\$2) (multi adj service\$2))	USPAT	2003/01/22 09:44
-	6	((proxy adj server) and (broadband (multi-service\$2) (multi adj service\$2))) and ( (multi-service\$2) (multi adj service\$2))	USPAT	2003/01/21 10:23
-	9	((multi-service\$2) (multi adj service\$2)) adj broadband\$2	USPAT; US-PGPUB; EPO; JPO;	2003/01/21 10:54
-	4	((multi-service\$2) (multi adj service\$2)) near3 server\$2	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/21 10:50
-	2	("6212563" "6101182").pn.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/21 11:27
-	1	(("6212563" "6101182").pn.) and proxy	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/21 10:53
-	1	(("6212563" "6101182").pn.) and broadband	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/21 10:54
-	1	(((multi-service\$2) (multi adj service\$2)) adj broadband\$2) and proxy	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/21 10:55
-	4	broadband near5 proxy	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/21 12:08
-	45	broadband same proxy	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/21 12:09
-	9776	isp	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/21 12:09
-	15	(broadband same proxy) and isp\$2	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/21 12:18
-	2	(("6212563" "6101182").pn.) and password\$2	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/21 13:27
-	2	(("6212563" "6101182").pn.) and isp	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/21 12:59
-	421	broadband near5 (protocol ip (internet adj protocol))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/21 13:00
-	55	(broadband near5 (protocol ip (internet adj protocol))) and proxy	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/21 13:00
	2	((("6212563" "6101182").pn.) and password\$2) and database	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/21 13:53
-	2	(((("6212563" "6101182").pn.) and password\$2) and database) and authenticat\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/01/21 15:19
	I		IBM_TDB	

-	2	((((("6212563" "6101182").pn.) and password\$2) and	USPAT;	2003/01/21 15:39
		database) and authenticat\$4) and (stor\$4 prestor\$4)	US-PGPUB;	
			EPO; JPO;	
		100\ d	IBM_TDB	2003/01/21 15:37
-	1	(((((("6212563" "6101182").pn.) and password\$2) and	USPAT;	2003/01/21 15.37
		database) and authenticat\$4) and (stor\$4 prestor\$4)) and	US-PGPUB;	*
		proxy	EPO; JPO;	
			IBM_TDB	2003/01/21 15:38
-	1	((((((("6212563" "6101182").pn.) and password\$2) and	USPAT;	2003/01/21 13.36
		database) and authenticat\$4) and (stor\$4 prestor\$4)) and	US-PGPUB;	
		proxy) and router\$2	EPO; JPO; IBM TDB	
		(//////ICO 40500)   C404400  )	USPAT;	2003/01/21 15:38
-	1	((((((("6212563" "6101182").pn.) and password\$2) and	US-PGPUB;	2003/01/21 13:30
		database) and authenticat\$4) and (stor\$4 prestor\$4)) and	EPO; JPO;	
		proxy) and (router\$2 switch\$2)	IBM TDB	
1		(///C242E62)! "6404192"\ nn \ and routor\$?	USPAT;	2003/01/21 15:40
-	2	(("6212563" "6101182").pn.) and router\$2	US-PGPUB;	2003/01/21 10.40
			EPO; JPO;	
	1		IBM TDB	
	2	(((((("6212563" "6101182").pn.) and password\$2) and	USPAT;	2003/01/21 15:50
-	2	database) and authenticat\$4) and (stor\$4 prestor\$4)) and	US-PGPUB;	
		(router\$2 switch\$2)	EPO; JPO;	
-		(Touter \$2 Switch \$2)	IBM_TDB	
	2	((((((("6212563" "6101182").pn.) and password\$2) and	USPAT;	2003/01/21 16:53
_		database) and authenticat\$4) and (stor\$4 prestor\$4)) and	US-PGPUB;	2000/01/21 10:00
		(router\$2 switch\$2)) and rout\$4	EPO; JPO;	
		(Touter \$2 Switch \$2)) and Tout \$4	IBM_TDB	
	2	((((((("6212563" "6101182").pn.) and password\$2) and	USPAT;	2003/01/21 17:33
_	2	database) and authenticat\$4) and (stor\$4 prestor\$4)) and	US-PGPUB;	
		(router\$2 switch\$2)) and rout\$4) and request\$4	EPO; JPO;	
		(Touter \$2 Switch \$2)) and Toute 1) and Toqueste 1	IBM TDB	
	1	(("6212563" "6101182").pn.) and updat\$4	USPAT;	2003/01/21 18:37
-	'	(( 0212005 - 0101102 ).pm.) and apact :	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
_	2	(("6212563" "6101182").pn.) and (parameter\$2 list42)	USPAT;	2003/01/21 18:38
	_	(( 02 ) 2000	US-PGPUB,	
			EPO; JPO;	
			IBM_TDB	
_	2	(("6212563" "6101182").pn.) and (parameter\$2 list\$2)	USPAT;	2003/01/22 08:45
	_		US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	48	(proxy adj server) and (broadband (multi-service\$2) (multi adj	USPAT	2003/01/22 11:04
1		service\$2))		
-	31	((proxy adj server) and (broadband (multi-service\$2) (multi adj	USPAT	2003/01/22 11:05
		service\$2)) ) and (password id (username\$2) (user adj		
		name\$2) identification\$2 authenticat\$4) and database		0000/04/00 44 00
-	12	(((proxy adj server) and (broadband (multi-service\$2) (multi adj	USPAT	2003/01/22 11:06
		service\$2)) ) and (password id (username\$2) (user adj		
		name\$2) identification\$2 authenticat\$4) and database) and		
	1	dhcp	LICDAT	2003/01/22 11:06
-	2	((((proxy adj server) and (broadband (multi-service\$2) (multi	USPAT	2003/01/22 11:06
	1	adj service\$2)) ) and (password id (username\$2) (user adj		
	[	name\$2) identification\$2 authenticat\$4) and database) and		
		dhcp) and isp\$2	USPAT	2003/01/22 10:34
-	6	(((proxy adj server) and (broadband (multi-service\$2) (multi adj	USFAI	2003/01/22 10.34
		service\$2))) and (password id (username\$2) (user adj name\$2) identification\$2 authenticat\$4) and database) and		
	200	isp\$2   prox\$3 and (broadband (multi-service\$2) (multi adj service\$2))	USPAT	2003/01/22 13:02
-	238	(prox\$3 and (broadband (multi-service\$2) (multi adj service\$2))	USPAT	2003/01/22 13:02
-	130	service\$2))) and (password id (username\$2) (user adj	301 7.1	2000/01/22 11.27
		name\$2) identification\$2 authenticat\$4) and database		
L		Hameyz) identificationyz authenticaty-) and database	L	1

- 23 ((prox\$3 and (broadband (multi-service\$2) (multi adj service\$2)) ) and (password id (username\$2) (user adj name\$2) identification\$2 authenticat\$4) and database) and dhcp - 3 (((prox\$3 and (broadband (multi-service\$2) (multi adj service\$2))) and (password id (username\$2) (user adj name\$2) identification\$2 authenticat\$4) and database) and dhcp) and isp\$2 - 1 6405253.pn. USPAT USPAT 1 6405253.pn. and RF 1 USPAT 1 6405253.pn. and RF 2 USPAT 1 6405253.pn. and RF 2 USPAT 2 (prox\$3 same (broadband\$2 (multi-service\$2) (multi adj service\$2))) - 13 ((prox\$3 same (broadband\$2 (multi-service\$2) (multi adj service\$2)))) and (password id (username\$2) (user adj name\$2) identification\$2 authenticat\$4) and database prox\$3 near10 (broadband (multi-service\$2) (multi adj service\$2)) - 2 (isp (ip near3 service)) near5 broker\$2	2003/01/22 11:23 2003/01/22 11:06 2003/01/22 11:12 2003/01/22 11:12 2003/01/22 11:24 2003/01/22 11:28 2003/01/22 13:02
name\$2) identification\$2 authenticat\$4) and database) and dhcp  (((prox\$3 and (broadband (multi-service\$2) (multi adj service\$2))) and (password id (username\$2) (user adj name\$2) identification\$2 authenticat\$4) and database) and dhcp) and isp\$2  1 6405253.pn. 1 6405253.pn. and RF 1 6405253.pn. and RF and database\$2 2 (prox\$3 same (broadband\$2 (multi-service\$2) (multi adj service\$2)))  1 ((prox\$3 same (broadband\$2 (multi-service\$2) (multi adj service\$2))))  1 ((prox\$3 same (broadband\$2 (multi-service\$2) (multi adj service\$2)))) and (password id (username\$2) (user adj name\$2) identification\$2 authenticat\$4) and database prox\$3 near10 (broadband (multi-service\$2) (multi adj service\$2)))  2 (isp (ip near3 service)) near5 broker\$2	2003/01/22 11:12 2003/01/22 11:12 2003/01/22 11:12 2003/01/22 11:24 2003/01/22 11:28
- 3 (((prox\$3 and (broadband (multi-service\$2) (multi adj service\$2))) and (password id (username\$2) (user adj name\$2) identification\$2 authenticat\$4) and database) and dhcp) and isp\$2 - 1 6405253.pn.	2003/01/22 11:12 2003/01/22 11:12 2003/01/22 11:12 2003/01/22 11:24 2003/01/22 11:28
service\$2))) and (password id (username\$2) (user adj name\$2) identification\$2 authenticat\$4) and database) and dhcp) and isp\$2  - 1 6405253.pn.	2003/01/22 11:12 2003/01/22 11:12 2003/01/22 11:12 2003/01/22 11:24 2003/01/22 11:28
name\$2) identification\$2 authenticat\$4) and database) and dhcp) and isp\$2  -	2003/01/22 11:12 2003/01/22 11:12 2003/01/22 11:24 2003/01/22 11:28
dhcp) and isp\$2  1 6405253.pn. 1 6405253.pn. and RF 1 6405253.pn. and RF and database\$2 1 (prox\$3 same (broadband\$2 (multi-service\$2) (multi adj service\$2)))  13 ((prox\$3 same (broadband\$2 (multi-service\$2) (multi adj service\$2)))) and (password id (username\$2) (user adj name\$2) identification\$2 authenticat\$4) and database prox\$3 near10 (broadband (multi-service\$2) (multi adj service\$2))  2 (isp (ip near3 service)) near5 broker\$2  USPAT  USPAT  USPAT  USPAT  USPAT  USPAT	2003/01/22 11:12 2003/01/22 11:12 2003/01/22 11:24 2003/01/22 11:28
- 1 6405253.pn. and RF - 1 6405253.pn. and RF and database\$2 - 22 (prox\$3 same (broadband\$2 (multi-service\$2) (multi adj service\$2))) - 13 ((prox\$3 same (broadband\$2 (multi-service\$2) (multi adj service\$2)))) and (password id (username\$2) (user adj name\$2) identification\$2 authenticat\$4) and database - 7 prox\$3 near10 (broadband (multi-service\$2) (multi adj service\$2)) - 2 (isp (ip near3 service)) near5 broker\$2  USPAT USPAT USPAT USPAT	2003/01/22 11:12 2003/01/22 11:12 2003/01/22 11:24 2003/01/22 11:28
- 1 6405253.pn. and RF and database\$2 (prox\$3 same (broadband\$2 (multi-service\$2) (multi adj service\$2)))  - 13 ((prox\$3 same (broadband\$2 (multi-service\$2) (multi adj service\$2)))) and (password id (username\$2) (user adj name\$2) identification\$2 authenticat\$4) and database - 7 prox\$3 near10 (broadband (multi-service\$2) (multi adj service\$2)) - 2 (isp (ip near3 service)) near5 broker\$2  USPAT USPAT USPAT; USPAT; USPAT; USPAT;	2003/01/22 11:12 2003/01/22 11:24 2003/01/22 11:28
- 22 (prox\$3 same (broadband\$2 (multi-service\$2) (multi adj service\$2)))  - 13 ((prox\$3 same (broadband\$2 (multi-service\$2) (multi adj service\$2)))) and (password id (username\$2) (user adj name\$2) identification\$2 authenticat\$4) and database prox\$3 near10 (broadband (multi-service\$2) (multi adj service\$2))  - 2 (isp (ip near3 service)) near5 broker\$2  USPAT  USPAT; USPAT;	2003/01/22 11:24 2003/01/22 11:28
service\$2)))  ((prox\$3 same (broadband\$2 (multi-service\$2) (multi adj service\$2)))) and (password id (username\$2) (user adj name\$2) identification\$2 authenticat\$4) and database  prox\$3 near10 (broadband (multi-service\$2) (multi adj service\$2))  (isp (ip near3 service)) near5 broker\$2  USPAT; US-PGPUB;	
- 13 ((prox\$3 same (broadband\$2 (multi-service\$2) (multi adj service\$2)))) and (password id (username\$2) (user adj name\$2) identification\$2 authenticat\$4) and database prox\$3 near10 (broadband (multi-service\$2) (multi adj service\$2)) - 2 (isp (ip near3 service)) near5 broker\$2  USPAT USPAT; US-PGPUB;	
name\$2) identification\$2 authenticat\$4) and database prox\$3 near10 (broadband (multi-service\$2) (multi adj service\$2))  2 (isp (ip near3 service)) near5 broker\$2 USPAT; US-PGPUB;	2003/01/22 13:02
- 7 prox\$3 near10 (broadband (multi-service\$2) (multi adj service\$2)) - 2 (isp (ip near3 service)) near5 broker\$2 USPAT; US-PGPUB;	2003/01/22 13:02
service\$2)) - 2 (isp (ip near3 service)) near5 broker\$2 USPAT; US-PGPUB;	2000/01/22 10:02
- 2 (isp (ip near3 service)) near5 broker\$2 USPAT; US-PGPUB;	
US-PGPUB;	2003/04/21 16:09
EPO; JPO;	
IBM_TDB 1841 isp ip tcp/ip same broker USPAT;	2003/04/21 16:15
- 1841   isp ip tcp/ip same broker USPAT; US-PGPUB;	2000/04/21 10:10
EPO; JPO;	
IBM_TDB	
- 2 broker near10 (isp ip) USPAT;	2003/04/21 16:23
US-PGPUB; EPO; JPO;	
IBM_TDB	
- 0 (isp ip tcp/ip same broker) and (content near4 aware near5 USPAT;	2003/04/21 16:11
switch) US-PGPUB;	
EPO; JPO;	
IBM_TDB	2003/04/21 16:12
- 0 (isp ip tcp/ip same broker) and conduit USPAT; US-PGPUB;	2003/04/21 10.12
EPO; JPO;	
IBM_TDB	
- 0 (isp ip tcp/ip same broker) and dhcp USPAT;	2003/04/21 16:18
US-PGPUB; EPO; JPO;	
IBM TDB	
- 0 (multiple plurality) near5 isp USPAT;	2003/04/21 16:19
US-PGPUB;	
EPO; JPO;	
IBM_TDB - 0 (multiple plurality) near10 isp USPAT;	2003/04/21 16:19
- 0 (multiple plurality) near10 isp USPAT; US-PGPUB;	2000/04/21 10.19
EPO; JPO;	
IBM_TDB	0000101101101
- 0 (multiple plurality different) near10 isp	2003/04/21 16:24
US-PGPUB; EPO; JPO;	
IBM TDB	
0 (multiple plurality different) near10 (isp (internet near5 (service USPAT;	2003/04/21 16:25
provider))) US-PGPUB;	
EPO; JPO;	
IBM_TDB - 0 different near internet USPAT;	2003/04/21 16:26
- 0 different near internet USPAT; US-PGPUB;	2000/04/21 10:20
EPO; JPO;	
IBM_TDB	000000000000000000000000000000000000000
USPAT	2003/04/21 16:26
- 32115 internet USPAT USPAT USPAT;	2003/04/21 16:27
US-PGPUB;	1255.5 10.21
EPO; JPO;	
IBM_TDB	

-	0	(broker\$2 same (isp (internet near5 (service\$2 provider\$2))))	USPAT; US-PGPUB; EPO; JPO;	2003/04/21 16:27
-	833184	multiple	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/04/21 16:27
-	0	(multiple plurality) near10 (isp (internet adj service adj provider))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/04/21 16:36
-	0	internet near4 service	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/04/21 16:37
-	0	internet near4 service	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/04/21 16:38
-	541	internet	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/04/21 16:38
-	0	internet near14 service	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/04/21 16:38
-	489	different near internet	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/04/22 09:15
-	7821	(multiple plurality different) near10 (isp ip (internet near5 (service provider)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/04/22 09:18
-	113	(broker near10 (isp ip (internet near5 (service provider))))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/04/22 09:19
-	1449	(multiple plurality) near10 (isp (internet near5 (service provider)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/04/22 09:18
-	15	((multiple plurality) near10 (isp (internet near5 (service provider)))) and ((broker near10 (isp ip (internet near5 (service provider)))))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/06/23 13:52
-	27	extend\$4 near5 dhcp	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/06/23 10:54
-	69	(extend\$4 near5 message\$2) and dhcp	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/06/23 10:56
-	66	((extend\$4 near5 message\$2) and dhcp) not (extend\$4 near5 dhcp)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/06/23 11:04
-	559	extend\$4 and dhcp	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/06/23 11:05
-	490	(extend\$4 and dhcp) not ((extend\$4 near5 message\$2) and dhcp)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/06/23 11:05
			IBM_TDB	

-	490	((extend\$4 and dhcp) not ((extend\$4 near5 message\$2) and dhcp)) not (((extend\$4 near5 message\$2) and dhcp) not	USPAT; US-PGPUB; EPO; JPO;	2003/06/23 11:05
		(extend\$4 near5 dhcp))	IBM_TDB	
	400	((/td@4 and dbay) not ((outond@4 poor5 moccage@2) and	USPAT;	2003/06/23 11:05
-	466	(((extend\$4 and dhcp) not ((extend\$4 near5 message\$2) and dhcp)) not (((extend\$4 near5 message\$2) and dhcp) not	US-PGPUB;	2000/00/20 11:00
		((extend\$4 near5 dhcp))) not (extend\$4 near5 dhcp)	EPO; JPO;	
		(extend\$4 nears dncp))) not (extend\$4 nears dncp)	IBM_TDB	
	400	broker near10 (isp ip (internet near5 (service provider)))	USPAT;	2003/06/23 15:39
-	130	broker hear to (isp ip (internet hears (service provider)))	US-PGPUB;	2000/00/20 10:00
			EPO; JPO;	
			IBM_TDB	
	57838	(select\$4 defin\$4 chose choose) near5 (isp carrier\$2 (internet	USPAT;	2003/06/23 13:15
	0,000	near5 (service\$2 provider\$2)))	US-PGPUB;	
		110a.0 (00111042 pro 114114-///	EPO; JPO;	
			IBM_TDB	
_	37384	(select\$4) near5 (isp carrier\$2 (internet near5 (service\$2	USPAT;	2003/06/23 13:37
		provider\$2)))	US-PGPUB;	
		· · · · · · · · · · · · · · · · · · ·	EPO; JPO;	
			IBM_TDB	
-	123	((select\$4 defin\$4 chose choose) near5 (isp carrier\$2 (internet	USPAT;	2003/06/23 13:41
		near5 (service\$2 provider\$2)))) and (dhcp\$7 (dhcp near4	US-PGPUB;	-
		request\$4))	EPO; JPO;	
			IBM_TDB	0000/00/00 40:40
-	9	(((select\$4 defin\$4 chose choose) near5 (isp carrier\$2	USPAT;	2003/06/23 13:40
		(internet near5 (service\$2 provider\$2)))) and (dhcp\$7 (dhcp	US-PGPUB;	
		near4 request\$4))) and ((map\$4 near10 (address\$2 mac id))	EPO; JPO;	
	444	same (dhcp\$7 (dhcp near4 request\$4)))	IBM_TDB USPAT;	2003/06/23 13:41
-	114	(((select\$4 defin\$4 chose choose) near5 (isp carrier\$2 (internet near5 (service\$2 provider\$2)))) and (dhcp\$7 (dhcp	US-PGPUB;	2003/00/23 13.41
		near4 request\$4))) not ((((select\$4 defin\$4 chose choose)	EPO; JPO;	
		near5 (isp carrier\$2 (internet near5 (service\$2 provider\$2))))	IBM_TDB	
		and (dhcp\$7 (dhcp near4 request\$4))) and ((map\$4 near10	15	
		(address\$2 mac id)) same (dhcp\$7 (dhcp near4 request\$4))))		
_	17	((multiple plurality) near10 (isp (internet near5 (service	USPAT;	2003/06/23 13:52
į		provider)))) and ((broker near10 (isp ip (internet near5 (service	US-PGPUB;	
		provider)))))	EPO; JPO;	
			IBM_TDB	
-	89	(extend\$4 near5 (protocol\$2 header\$2 frame\$2)) and dhcp	USPAT;	2003/06/23 14:42
1			US-PGPUB;	
			EPO; JPO;	
		10 10 10 00 com to Contain the contains	IBM_TDB	2003/06/23 15:40
-	17	dhcp and (broker\$2 same (isp ip (internet near5 (service	USPAT;	2003/00/23 13.40
		provider))))	US-PGPUB; EPO; JPO;	
1			IBM_TDB	
	17	dhcp and (broker\$2 same (isp ip (internet near5 (service	USPAT;	2003/06/30 09:37
-	''	provider)))) and (isp ip (internet near5 (service\$2)))	US-PGPUB;	
		provider//// and (top ip (internet hears (service#2 provider#2)//	EPO; JPO;	
			IBM TDB	
_	4166	register\$4 near10 (isp (internet near4 (service2 provider\$2))	USPAT;	2003/06/23 15:58
		carrier\$2)	US-PGPUB,	
			EPO; JPO;	
			IBM_TDB	
-	547	(select\$4 pick\$4 choos\$4 chosen) near3 (isp (internet near3	USPAT;	2003/06/30 15:08
		(service\$2 provider\$2)))	US-PGPUB;	
		·	EPO; JPO;	
			IBM_TDB	0000/00/00 00 10
-	283	((select\$4 pick\$4 choos\$4 chosen) near3 (isp (internet near3	USPAT;	2003/06/30 09:48
		(service\$2 provider\$2)))) and (exten\$ (DHCP same (header\$2	US-PGPUB;	
		modif\$8)))	EPO; JPO;	
	500	(DUCD (dynamic adi best adi configuration adi protocol\)	IBM_TDB USPAT	2003/06/30 15:10
-	533		USPAT	2003/06/30 13:47
-	32	and (header\$2 same (DHCP (dynamic adj host adj	331711	2000/00/00 10.47
	1	configuration adj protocol)))		
		oomigaration aaj protoodijij	1	<del></del>

-	28	( ((DHCP (dynamic adj host adj configuration adj protocol)) ) and (header\$2 same (DHCP (dynamic adj host adj configuration adj protocol))) ) and (isp\$2 (internet near4 (service\$2 provider\$2)) carrier\$2 (access near4 (service\$2	USPAT	2003/06/30 14:38
	1	provider\$2)))		
-	4408	((addition\$4 near5 (message\$2 data information)) same (isp\$2 (internet near4 (service\$2 provider\$2)) carrier\$2 (access	USPAT	2003/06/30 14:25
-	50	near4 (service\$2 provider\$2)))) (((addition\$4 near5 (message\$2 data information)) same (isp\$2 (internet near4 (service\$2 provider\$2)) carrier\$2 (access near4 (service\$2 provider\$2))))) and (DHCP (dynamic	USPAT	2003/06/30 14:58
-	547	adj host adj configuration adj protocol)) (select\$4 pick\$4 choos\$4 chosen) near3 (isp (internet near3 (service\$2 provider\$2)))	USPAT; US-PGPUB; EPO; JPO;	2003/06/30 17:38
_	733	((select\$4 pick\$4 choos\$4 chosen) near3 (isp (internet near3 (service\$2 provider\$2))) ) (DHCP (dynamic adj host adj	IBM_TDB USPAT	2003/06/30 15:11
	17	configuration adj protocol)) ((select\$4 pick\$4 choos\$4 chosen) near3 (isp (internet near3 (service\$2 provider\$2))) ) and (DHCP (dynamic adj host adj	USPAT	2003/06/30 17:40
-	33265	configuration adj protocol)) (select\$4 pick\$4 choos\$4 chosen) near3 (isp\$2 carrier\$2 (internet near3 (service\$2 provider\$2)))	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/06/30 17:44
-	26	((select\$4 pick\$4 choos\$4 chosen) near3 (isp\$2 carrier\$2 (internet near3 (service\$2 provider\$2))) ) and (DHCP (dynamic adj host adj configuration adj protocol))	USPAT	2003/07/01 16:17
-	9	(((select\$4 pick\$4 choos\$4 chosen) near3 (isp\$2 carrier\$2 (internet near3 (service\$2 provider\$2))) ) and (DHCP (dynamic adj host adj configuration adj protocol)) ) not (((select\$4 pick\$4 choos\$4 chosen) near3 (isp (internet near3 (service\$2	USPAT	2003/06/30 17:40
-	45162	provider\$2))) ) and (DHCP (dynamic adj host adj configuration adj protocol)) ) (select\$4 pick\$4 choos\$4 chosen) near5(isp\$2 carrier\$2 (internet near3 (service\$2 provider\$2)))	USPAT; US-PGPUB; EPO; JPO;	2003/06/30 17:45
-	34	((select\$4 pick\$4 choos\$4 chosen) near5(isp\$2 carrier\$2 (internet near3 (service\$2 provider\$2))) ) and (DHCP (dynamic	IBM_TDB USPAT	2003/06/30 17:45
-	1557190	adj host adj configuration adj protocol)) "34" not (((select\$4 pick\$4 choos\$4 chosen) near3 (isp (internet near3 (service\$2 provider\$2)))) and (DHCP (dynamic	USPAT	2003/06/30 17:45
-	8	adj host adj configuration adj protocol)) ) ((((select\$4 pick\$4 choos\$4 chosen) near5(isp\$2 carrier\$2 (internet near3 (service\$2 provider\$2))) ) and (DHCP (dynamic	USPAT	2003/06/30 17:46
		adj host adj configuration adj protocol)) ) not (((select\$4 pick\$4 choos\$4 chosen) near3 (isp (internet near3 (service\$2 provider\$2))) ) and (DHCP (dynamic adj host adj configuration adj protocol)) )) not (((select\$4 pick\$4 choos\$4 chosen) near3 (isp\$2 carrier\$2 (internet near3 (service\$2 provider\$2))) ) and (DLCP (dynamic adj host adj configuration adj protocol)) ) not		
	4-7	(DHCP (dynamic adj host adj configuration adj protocol)) ) not (((select\$4 pick\$4 choos\$4 chosen) near3 (isp (internet near3 (service\$2 provider\$2))) ) and (DHCP (dynamic adj host adj configuration adj protocol)) ))	USPAT	2003/07/01 09:36
	17	(((select\$4 pick\$4 choos\$4 chosen) near5(isp\$2 carrier\$2 (internet near3 (service\$2 provider\$2))) ) and (DHCP (dynamic adj host adj configuration adj protocol)) ) not (((select\$4 pick\$4 choos\$4 chosen) near3 (isp (internet near3 (service\$2 provider\$2))) ) and (DHCP (dynamic adj host adj configuration adj protocol)) )	OSFAI	2005/01/01 09.50
-	48367	(select\$4 pick\$4 choos\$4 chosen) near10 (isp\$2 carrier\$2 (internet near3 (service\$2 provider\$2)))	USPAT	2003/07/01 09:40
-	52322	(select\$4 pick\$4 choos\$4 chosen identif\$6) near10 (isp\$2 carrier\$2 (internet near3 (service\$2 provider\$2)))	USPAT	2003/07/01 09:38

-	56	((select\$4 pick\$4 choos\$4 chosen identif\$6) near10 (isp\$2 carrier\$2 (internet near3 (service\$2 provider\$2)))) and (DHCP	USPAT	2003/07/01 09:39
_	39	(dynamic adj host adj configuration adj protocol)) (((select\$4 pick\$4 choos\$4 chosen identif\$6) near10 (isp\$2 carrier\$2 (internet near3 (service\$2 provider\$2)))) and (DHCP	USPAT	2003/07/01 09:39
		(dynamic adj host adj configuration adj protocol))) not ((((select\$4 pick\$4 choos\$4 chosen) near5(isp\$2 carrier\$2 (internet near3 (service\$2 provider\$2))) ) and (DHCP (dynamic adj host adj configuration adj protocol)) ) not (((select\$4 pick\$4 choos\$4 chosen) near3 (isp (internet near3 (service\$2 provider\$2))) ) and (DHCP (dynamic adj host adj configuration adj protocol)) ))		
-	39	((((select\$4 pick\$4 choos\$4 chosen identif\$6) near10 (isp\$2 carrier\$2 (internet near3 (service\$2 provider\$2)))) and (DHCP (dynamic adj host adj configuration adj protocol))) not ((((select\$4 pick\$4 choos\$4 chosen) near5(isp\$2 carrier\$2 (internet near3 (service\$2 provider\$2)))) and (DHCP (dynamic adj host adj configuration adj protocol))) not (((select\$4 pick\$4 choos\$4 chosen) near3 (isp (internet near3 (service\$2 provider\$2)))) and (DHCP (dynamic adj host adj configuration adj protocol))))) and (isp\$2 carrier\$2 (internet near3 (service\$2 provider\$2)))	USPAT	2003/07/01 16:17
-	90	(isp\$2 (internet near5 (service\$2 provider\$2))) same (DHCP (dynamic adj host adj configuration adj protocol\$2))	USPAT	2003/07/02 13:25
-	1	6577627.pn.	USPAT	2003/07/02 14:16
-	0	router\$2 and datatabase\$2 and (broadband (broad near3 band)) and (isp\$2 (internet near3 (service\$2 provider\$2))) and (DHCP (dynamic near5 protocol\$2))	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/07/02 14:36
-	0	router\$2 and datatabase\$2 and (prox\$3 gateway\$2 server\$2) and (isp\$2 (internet near3 (service\$2 provider\$2))) and (DHCP (dynamic near5 protocol\$2))	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2003/07/02 14:21
	0	router\$2 and datatabase\$2 and (broadband (broad near3 band) prox\$3 gateway\$2 server\$2) and (isp\$2 (internet near3 (service\$2 provider\$2)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/02 14:23
	442	router\$2 and database\$2 and (broadband prox\$3 server\$2 (broad near3 band)) and (isp\$2 (internet near3 (service\$2 provider\$2))) and (DHCP (dynamic near5 protocol\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/02 14:33
-	439	(router\$2 and database\$2 and (broadband prox\$3 server\$2 (broad near3 band)) and (isp\$2 (internet near3 (service\$2 provider\$2))) and (DHCP (dynamic near5 protocol\$2))) and (ip id ((customer\$2 user\$2 client\$2) near3 address\$2))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/02 14:36
	274	((router\$2 and database\$2 and (broadband prox\$3 server\$2 (broad near3 band)) and (isp\$2 (internet near3 (service\$2 provider\$2))) and (DHCP (dynamic near5 protocol\$2))) and (ip id ((customer\$2 user\$2 client\$2) near3 address\$2))) and (prox\$4 broadband (broad near3 band))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/02 14:38
-	136	(((router\$2 and database\$2 and (broadband prox\$3 server\$2 (broad near3 band)) and (isp\$2 (internet near3 (service\$2 provider\$2))) and (DHCP (dynamic near5 protocol\$2))) and (ip id ((customer\$2 user\$2 client\$2) near3 address\$2))) and (prox\$4 broadband (broad near3 band))) and ((prox\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/03 16:22
-	0	broadband (broad near3 band)) same (database\$2 router\$2)) ((((router\$2 and database\$2 and (broadband prox\$3 server\$2 (broad near3 band)) and (isp\$2 (internet near3 (service\$2 provider\$2))) and (DHCP (dynamic near5 protocol\$2))) and (ip id ((customer\$2 user\$2 client\$2) near3 address\$2))) and (prox\$4 broadband (broad near3 band)) ) and ((prox\$4 broadband (broad near3 band)) same (database\$2 router\$2)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/02 15:55
-	262	and (isp\$2 near10 register\$4) register\$4 near10 ISP\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/07/03 16:10

				000000000000000000000000000000000000000
-	7	(router\$2 and database\$2 and (broadband prox\$3 server\$2	USPAT;	2003/07/02 15:56
		(broad near3 band)) and (isp\$2 (internet near3 (service\$2	US-PGPUB;	
		provider\$2))) and (DHCP (dynamic near5 protocol\$2))) and	EPO; JPO;	
		(register\$4 near10 ISP\$2)	IBM_TDB	0000107100 10 55
-	1	6212563.pn.	USPAT;	2003/07/02 16:55
			US-PGPUB;	
		_	EPO; JPO;	
			IBM_TDB	
- "	1	6101182.pn.	USPAT;	2003/07/02 16:55
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	0000007/00 10 55
-	1	6101182.pn. and database\$2	USPAT;	2003/07/02 16:55
			US-PGPUB;	
			EPO; JPO;	
	0040	700,000,040,040,000,007	IBM_TDB	0000/07/00 40:00
-	8313	709/203,219,212,213,223,227.ccls.	USPAT;	2003/07/03 16:23
			US-PGPUB;	
			EPO; JPO;	
	40=	700/000 040 040 040 000 007	IBM_TDB	0000/07/00 40:07
-	185	709/203,219,212,213,223,227.ccls. and ((header\$2 option\$2)	USPAT;	2003/07/03 16:27
		same (isp\$2 (internet near4 (service\$2 provider\$2))))	US-PGPUB;	
			EPO; JPO;	
	_	/!!GE77607!! !!644E000!! !!6420076!!\ ~~	IBM_TDB   USPAT;	2003/07/07 10:07
<del>-</del>	3	("6577627" "6145022" "6430276").pn.		2003/07/07 10.07
:			US-PGPUB;	
			EPO; JPO;	
	,	6145000 pp	IBM_TDB   USPAT;	2003/07/07 10:07
-	1	6145002.pn.	US-PGPUB;	2003/07/07 10.07
1			EPO; JPO;	
			IBM_TDB	
	1	6101182.pn.	USPAT;	2004/01/05 17:32
-	•	οτοιτο2.μπ.	US-PGPUB;	2004/01/03 17.32
			EPO; JPO;	
			IBM TDB	
_	1	6101182.pn. and (ip (ip near3 address\$2))	USPAT:	2004/01/05 17:33
	•	(ip (ip risars addresse))	US-PGPUB;	
			EPO; JPO;	
			IBM TDB	
-	1	(6101182.pn. and (ip (ip near3 address\$2))) and unique	USPAT;	2004/01/05 17:53
			US-PGPUB;	
			EPO; JPO;	
l			IBM TDB	
-	1	6577627.pn.	USPAT;	2004/01/05 17:53
		·	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	1	6101182.pn. and (ip (ip near3 address\$2))	USPAT;	2004/01/05 18:04
1			US-PGPUB;	
			EPO; JPO;	
		· ·	IBM_TDB	
-	1	(6101182.pn. and (ip (ip near3 address\$2))) and unique	USPAT;	2004/01/05 17:53
]			US-PGPUB;	
į			EPO; JPO;	
			IBM_TDB	0004/04/05 :===
-	0	6577627.pn. and unique	USPAT;	2004/01/05 17:54
			US-PGPUB;	
AND THE REAL PROPERTY.			EPO; JPO;	
		the second decisions as a section.	IBM_TDB	2004/04/05 40:04
-	384	dhcp and (unique near5 ip)	USPAT;	2004/01/05 18:04
			US-PGPUB;	
			EPO; JPO;	
		(dhen and (unique neart in)) and (dhen seems (unique neart	IBM_TDB   USPAT;	2004/01/05 18:05
-	92	(dhcp and (unique near5 ip)) and (dhcp same (unique near5	US-PGPUB;	2004/01/03 16:03
		ip))	EPO; JPO;	
		·	IBM_TDB	
	L	4:25:46 DM Dogs 11	100 TOD	<u> </u>

		5: \\ 1 (.11 () ()	USPAT;	2004/01/05 18:13
-	10	((dhcp and (unique near5 ip)) and (dhcp same (unique near5	US-PGPUB;	2004/01/00 10:10
		ip))) and (select\$4 near5 (isp\$2 provider\$2))	EPO; JPO;	
			IBM TDB	
	49	((dhcp and (unique near5 ip)) and (dhcp same (unique near5	USPAT:	2004/01/07 10:38
-	49	ip))) and (isp\$2 provider\$2)	US-PGPUB;	
		ip))) and (ispaz provideraz)	EPO; JPO;	
			IBM TDB	
	1	6101182.pn.	USPAT;	2004/01/07 10:38
-	'	(0101102.pn.	US-PGPUB;	
	*		EPO; JPO;	i .
1			IBM_TDB	
_	0	6101182.pn. and proxy	USPAT;	2004/01/07 10:38
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	0001/04/07 44 05
-	1	6212563.pn.	USPAT;	2004/01/07 14:35
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	2004/01/07 16:06
-	1	6212563.pn. and prox\$4	USPAT;	2004/01/07 16:06
			US-PGPUB;	
			EPO; JPO; IBM_TDB	
		15.4	USPAT;	2004/01/07 16:06
-	1	6101182.pn. and future	US-PGPUB;	200-701707 10.00
			EPO; JPO;	
	1 .		IBM TDB	!